	Application No.	Applicant(s)	
	09/961,409	IDE ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Ricky D. Shafer	2872	·
The MAILING DATE of this communication at All claims being allowable, PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATEN of the Office or upon petition by the applicant. See 37 CFR 1.	S IS (OR REMAINS) CLOSED in 85) or other appropriate common TRIGHTS. This application is 8	n this application. If not include unication will be mailed in due	ed course. THIS
1. \boxtimes This communication is responsive to <u>07/24/2006</u> .			
2. X The allowed claim(s) is/are 18,20-25 and 27-32.			
 3. Acknowledgment is made of a claim for foreign priorit a) All b) Some* c) None of the: 1. Certified copies of the priority documents here. 2. Certified copies of the priority documents here. 3. Copies of the certified copies of the priority International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO.	nave been received. nave been received in Application documents have been received TE" of this communication to file	on No d in this national stage applica	
THIS THREE-MONTH PERIÓD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be su		AMINER'S AMENDMENT or N	IOTICE OF
INFORMAL PATENT APPLICATION (PTO-152) which			101102 01
 CORRECTED DRAWINGS (as "replacement sheets") (a) including changes required by the Notice of Drafts 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examin Paper No./Mail Date Identifying indicia such as the application number (see 37 CF) 	person's Patent Drawing Review ner's Amendment / Comment or	r in the Office action of	e back) of
each sheet. Replacement sheet(s) should be labeled as such	in the header according to 37 CF	R 1.121(d).	
 DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREME 	eposit of BIOLOGICAL MATI NT FOR THE DEPOSIT OF BIO	ERIAL must be submitted. I DLOGICAL MATERIAL.	Note the
Attachment(s)	_		
1. Notice of References Cited (PTO-892)		formal Patent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-94		ummary (PTO-413), /Mail Date	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. 🗌 Examiner's	Amendment/Comment	
4. Examiner's Comment Regarding Requirement for Depo of Biological Material A. Separation Regarding Requirement for Depo of Biological Material	sit 8. ⊠ Examiner's 9. ☐ Other	Statement of Reasons for Allo L HICKY D. SH PATENT EXAL	owance

Application/Control Number: 09/961,409

Art Unit: 2872

1. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach or fairly suggest a deformable mirror having a displacement detecting function comprising a flexible thin film having a reflecting surface and an upper electrode to be deformed, at least a control and/or capacitance electrode, located opposite to said flexible thin film, and a high-frequency voltage applied to said deformable mirror, wherein said deformable mirror includes the limitations and arrangement, as recited in claims 18, 22, 25, 29 and 32.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

- 2. The drawing(s) filed on 09/25/2001 are accepted by the examiner.
- 3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ricky D. Shafer whose telephone number is (571) 272-2320. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

Application/Control Number: 09/961,409

Art Unit: 2872

At Ont. 2072

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

RDS

October 01, 2006

ART UNIT 250 2877

Page 3